



## NEW 4500 METER (14,700') SCR LAND DRILLING RIG (REF#1905N)

- ⦿ Mast: 138 ft. triple 750,000 lb. cantilever
- ⦿ Sub: 750 hydraulic swing up, 25 ft. high x 27 ft. 6 inch wide, C/W with hydraulic BOP handler, 37.5 inch table
- ⦿ Mud Pumps: 2- GD PZ 10 1350 hp, 4- GE 752 1000 hp electric drive motors, 2- STD pump buildings
- ⦿ Mud System: 2- tank system, trip tank compartment, pill tank compartment, dual SWACO shale shaker, 2- poor boy degassers, 7.5 agitators in each compartment, 3- 5X6X 13 mission pumps C/W 50 hp electric motors, vortex shear mixer hopper, hydraulic fold down roofs over each mud tank, sand trap compartment
- ⦿ Draw Works: 1500 hp AC drive, 1-1/4 inch drill line, EATON 336 WCSB, hydraulic survey line unit, powered with 1500 hp electric motor
- ⦿ BOP: 13-5/8 shaffer, double gate, nace trim, 5000 psi, annular.
- ⦿ Manifold: 3x3 double gut, 2- electric operated pason chokes, 5000 psi, mounted in heated oilfield skid shack
- ⦿ Accumulator: control tech 180 gal, 2- 25 hp electric C/W triplex pumps, nitrogen bottles, accumulator bottles.
- ⦿ Blocks: American style 350 ton
- ⦿ Top Drive: varco TDS- 11 AC drive
- ⦿ Iron Roughneck: pragma torq-matic 90
- ⦿ Tongs: type H 42 inch C/W 2-3/8 x 10-3/4
- ⦿ Drill Collars: 6- 8 inch, 21- 6 inch
- ⦿ Drill Pipe: 4300 meters of 4 inch
- ⦿ Water Tank: 75 cubes capacity, oilfield style skid
- ⦿ Gen Build: 2- 3512 CAT GEN C/W 1225 KATO GEN, oilfield style skid building
- ⦿ SCR Build: national SCR package, air conditioned, 3508 CAT spare genset, oilfield style skid building
- ⦿ Tool House: fuel tank 85,000 liters capacity, oilfield style skid building, parts room, change room
- ⦿ Boiler Build: 125 hp boiler, water tank, fuel tank, oilfield style skid building
- ⦿ Push Shack: 12 x 52 skidded shack, 60 KW GEN set
- ⦿ Pipe Tubs: 7- forklift accessible range 3
- ⦿ Catwalk: pragma style, hydraulic skate function, hydraulic level rams, hydraulic pipe arms
- ⦿ Pipe Racks: 4- pipe racks
- ⦿ Doghouse: PLC controlled doghouse panel, push out drillers console, electric heated, AC units included, automatic driller, oilfield style skid building
- ⦿ Top Drive Build: workshop area, hydraulic pumps for wrench and spinners, oilfield style skid building
- ⦿ Flare Tank: 8 cube capacity, electric igniter, oilfield style skid building
- ⦿ Suitcase Skid: 8 inch flare line, 4 inch mud line.
- ⦿ Delivery 3 months after contract. Terms of sale: 50% deposit on contract (placed in escrow account), balance upon completion, both by bank transfer. Numerous similar rigs have been manufactured and are currently working. Note: All hydraulic functions are remote as well as manually controlled. In addition, 2000 hp (18,000') rig can be manufactured, delivery 12 months. The rig is manufactured in North America .

NEW 4500 METER (14,700') SCR LAND DRILLING RIG (REF#1905N) PHOTOS



NEW 4500 METER (14,700') SCR LAND DRILLING RIG (REF#1905N) PHOTOS



NEW 4500 METER (14,700') SCR LAND DRILLING RIG (REF#1905N) PHOTOS



NEW 4500 METER (14,700') SCR LAND DRILLING RIG (REF#1905N) PHOTOS

